



VN900 Custom Special Edition / 2010

VN900 Custom

This will certainly get you noticed - big style. And talking of style, the Custom is right up to the minute with a mix of matt and shine that speaks of menace yet also shouts bling. You have to try this bad boy for size.

£ 6,599

Price includes VAT at 17.5%,
delivery to dealer and preparation of
motorcycle. Government charges
are charged in addition

Kawasaki

Features

VN900 Custom Special Edition / 2010



Exhaust



An eye on the clocks



Custom lamp, high-rise bars



Engine



Modern performance, lean lines

Accessories

VN900 Custom Special Edition / 2010



COMFORT GEL SEAT
£ 240.95



REAR FENDER TRIM
£ 85.95



WINDSHIELD CAFÉ
£ 139.95

More accessories



WINDSHIELD TOURING
£ 135.95



BACKREST INCL.
CUSHION & EMBLEM
£ 271.95



REAR RACK
£ 201.95



ENGINE GUARDS
£ 136.95



FRAME JUNCTION
COVER
£ 13.95



ARLEN NESS MIRROR
£ 56.95



LIGHTBAR
£ 253.95



GEL SEAT PLAIN
£ 231.95



HANDLEBAR WIRE
GUIDE
£ 27.95



MIRROR
£ 49.95



MIRROR ARM SET
as from £ 29.95



SADDLEBAGS
as from £ 381.95



SADDLEBAG SUPPORTS
£ 56.95



RIBBED HANDLEBAR
GRIPS
£ 52.95



CHOKE KNOB COVER
£ 25.95



CHOKE KNOB COVER,
RIBBED
£ 29.95



BANJO BOLT COVER
£ 13.95



OIL FILLER CAP
£ 32.95

Accessories

VN900 Custom Special Edition / 2010



BRAKE BLEEDER COVER
£ 9.95



REGULATOR COVER
£ 34.95



TANK PANEL
£ 66.95



TANK PAD GEL RESIN
£ 24.95



DELUXE CRUISER COVER
£ 141.95



SERVICE STAND FOR CRUISERS
£ 106.95



U-LOCK UNIVERSAL
£ 67.95

Specifications

VN900 Custom Special Edition / 2010

Engine

Engine type	Liquid-cooled, 4-stroke V-Twin
Displacement	903 cm ³
Bore x stroke	88.0 x 74.2 mm
Compression ratio	9.5:1
Valve/Induction system	SOHC, 8 valves
Fuel system	Fuel injection: ø34 mm x 2 with dual throttles
Ignition	Digital
Starting	Electric

Transmission

Transmission	5-speed, return
--------------	-----------------

Frame

Frame type	Double-cradle, steel
Rake/Trail	33°/182 mm
Wheel travel, front	150 mm
Wheel travel, rear	103 mm
Tyre, front	80/90-21M/C 48H
Tyre, rear	180/70-15M/C 76H
Steering angle, left / right	36° / 36°

Suspension

Suspension, front	41 mm telescopic fork
Suspension, rear	Uni-Trak

Brakes

Brakes, front	Single 300 mm disc
Brakes, rear	Single 270 mm disc

Dimensions

Dimensions (L x W x H)	2,405 x 895 x 1,120 mm
Wheelbase	1,645 mm
Seat height	685 mm
Fuel capacity	20 litres
Curb Mass	278 kg

Performance

Maximum power	37 kW {50 PS} / 5,700 rpm
Maximum torque	78 N·m {8.0 kgf·m} / 3,700 rpm